

DESIGN
NEW
VISION

WWW.LIYUPRINTER.COM



Liyu International Factory
No.33,TianZhi Road,High and New tech.Development
Area Hefei Anhui China 230088
www.liyuprinter.com sales@liyuprinter.com
+90 532 5027522

Liyu International Europe Showroom:
11. Sk. No:67 Ferhat Pasa Mahallesi
34779 Dudullu/Atasehir/Istanbul
europe@liyuprinter.com
"All technical details in this catalog are subject to change by Liyu"

2880
dpi





KC Printer



DESIGN
NEW
VISION

PLATINUM SERIES

RICOH | KONICA MINOLTA



Technical Specifications

Printing Heads	KM 1024i - Ricoh Gen5
Printhead Quantity	16 (Max.) - 8 (Max.)
Drop Volume	13 Pl. - 7 Pl.
Color Scale	CMYK + White + Varnish + Lc + Lm
INK Type	UV - LED
Drying System	UV Curing - LED Curing
Flat-Bed Size	2500 mm x 1250mm / 3050mm x 2050mm
Print Height	100 mm
Print Resolution	2880 dpi
Printing Speed Up to	110 m ² /h - 40 m ² /h
RIP Software	Photo Print - Caldera (Opt.)
Hardware	LCD Monitor
Power Requirement	230v (+/-) 10% / 40A / 50HZ / 60HZ
Machine Size 2512	2200 mm x 5220 mm x 1530mm
Machine Size 3020	3000 mm x 5800 mm x 1530mm
Machine Weight	1370 - 2500 kg.